

SEEDS OF SUCCESS FIELD DATA FORM

Seed Collection Ref. Number:	09-09-19-009		Collector Code:	
Date(s) Collected (MM/DD/YY):	09/09/19	Collector Name(s):	Ali T + Brandon W	
		Collection Number:		
		Alt. Collection Number:		
COLLECTION DATA				
Family:	Hypericaceae		No. of Plants Sampled (min. 50):	75
Genus:	Hypericum		No. of Plants Found (approx.):	150
Species:	hypericoides		Area Sampled (acres):	1.5
Subspecies/Variety:			Seeds Collected From:	<input checked="" type="checkbox"/> Plants <input type="checkbox"/> Ground <input type="checkbox"/> Both <input type="checkbox"/> Unknown
Plant Habit:	Tree <input checked="" type="checkbox"/> Shrub <input type="checkbox"/> Forb <input type="checkbox"/> Succulent <input type="checkbox"/> Grass/Grasslike		Plant Height (feet):	1-3 ft
Field Notes to assist in identification of pressed specimen (e.g. flower color):	Yellow flowers, petals forming an X			
Common Name(s) of Plants:	St. Andrew's Cross		NRCS PLANTS Code:	
LOCATION DATA				
Ecoregion (Omernik Level III):	Carolinian State Belt	State:	NC	County: Chatham
Subunit (BLM area, park name, etc.):	N & S Roadsides	Area within Subunit (trail name, etc.):		
Land Owner:		Non-BLM Permission Filed:	Y N	
Location Details:	Silk Hope Gum Spring Rd, ~2 miles East of Emerson Lick Drive + 1 mile West of intersection w/ HWY 87			
Source Used:	<input checked="" type="checkbox"/> GPS <input type="checkbox"/> Map <input type="checkbox"/> None	Accuracy:	<input checked="" type="checkbox"/> GPS <input type="checkbox"/> Within 5km <input type="checkbox"/> 6-20km <input type="checkbox"/> More than 20km	
GPS Datum:	<input checked="" type="checkbox"/> NAD83 <input type="checkbox"/> NAD27 <input type="checkbox"/> WGS84 <input type="checkbox"/> Other:			
Latitude (dg/min/sec) (ex: 40° 34' 19.5" N):	35.764911		N	Elevation: 149
Longitude (dg/min/sec) (ex: 107° 36' 51.54" W):	-79.249649		W	Unit (ft or m): M
HABITAT DATA				
Associated Species (Scientific Name):	Tephrosia virginiana, Lobelia puberula, Helianthus atrorubens, Pityopsis aspera, Sclerocarpus linifolius			
Ecological Site Description, Habitat Type and/or National Vegetation Classification:	Wooded Edge			
Modifying Factors:	<input checked="" type="checkbox"/> Mowed <input type="checkbox"/> Burned <input type="checkbox"/> Grazed <input type="checkbox"/> Flooded <input type="checkbox"/> Seeded <input type="checkbox"/> Trampled <input type="checkbox"/> Other:			
Land Form:			Slope (degrees):	2-6%

Land Use:			Aspect:	N NE E SE S SW W NW
Geology:	Georgeville Silt Loam			
Soil Texture:	Clay Silt Sand Other:		Soil Color:	
HERBARIUM VOUCHERS				
Number of pressed specimens:	1	Date Voucher Taken:	09/09/19	
Herbaria Names (Smithsonian, Regional, Local):	NLV			
SPECIALIST IDENTIFICATION				
Identified by (name and organizational affiliation):		Ak T & Brandon W		
Material Identified:	<input checked="" type="radio"/> <u>In Field</u> From Pressed Specimen on Day of Collection <input type="radio"/> From Pressed Specimen on Another Date <input type="radio"/> From Photograph		Date Identified (MM/DD/YY):	09/09/19

PRE-COLLECTION CHECKLIST

This section is for your reference only and not required as part of the data collected by the SOS National Coordinating Office. The conditions indicated in **boldface** describe ideal population size and seed dispersal stage for seed collecting.

Assess Population & Seed Dispersal Stage				
Approximate area of population:	x	(feet, yards, miles.....)		
Approximate total number of individual plants present and accessible:	0-50	50-500	500-5000	> 5000
Evidence of disturbance or damage:	Resown	Burnt	Sprayed	No damage
Readiness of population for collecting: give percentages or circle the most frequently occurring:	Vegetative	In flower	Immature seeds	Around natural dispersal Post dispersal
Estimate the number of individual plants at natural dispersal stage:	<50	>50		
Is the population:	A single population A population with distinct sub-populations (Can you sample separately or from the most suitable?)			
Assess Seed Quality & Availability				
On a typical individual, where on the plant/branch/fruit is the seed at natural dispersal stage:	Recognized			
Using a cut test on the seeds at this stage, give percentages or circle the most frequently occurring:	Healthy	Insect-damaged	Empty	Moldy Malformed/other damage
Estimate the number of healthy seeds per fruit:				
Estimate the number of fruits per individual plant:				
Should Seed Be Collected On This Trip?				
Using the above information, if you only collect 20% of the healthy seeds available today, will this result in a collection of >10,000 healthy seeds?				